

DIPU ELECTRONICS CO., LIMITED

NO.14, DaGuangKan Industrial Park, Hushan Road, Bantian Street, Longgang District, Shenzhen, China

Tel: 86 755 28449240 Fax: 86 755 28448315 web: <http://www.szdpe.com>

E-mail: szdpe2009@gmail.com dpe@szdpe.com

Wireless/ Wifi Network Digital Signage Spec and Price




Model: DP-4201NW

Screen Size(inch) : 42 (Diagonal) TFT-LCD
Aspect Ratio: 16:10
Display Resolution(dot) : 1920 (w)x1080 (h),RGB
Active Area(mm) : 523.008(v)x930.246(H)
Dot Pitch(mm) : 0.51075 (w)x0.51075 (H)
Brightness: 550cd/m²
Contrast Ratio: 1000:1
Display Depth : 8-bit,16.7m colors
View Angle: left / right 170°, up 170°, down 170°

General description of wireless/Wifi network digital signage

Network digital signage is one solution for chain stores, banks, hospital, bus, taxi, finance and so on. You can stay in your office, even you can use your iPad or iPhone to manage terminals. It is one successful industry solution for business ads to increase your sales and give good image promotion. The solution allows you to have multi-control functions, meaning that you can send tasks to one group of terminals or only one terminal, and also

can change the ads in different area of the split screen in different locations.



Spot features:

High quality hardware with Embedded Linux system, no virus ,auto crash reboot , 24*7 working, long life time

Support Lan, wifi connection

Support Wide range of resolution up to HD 1920*1080

Real Remote control through internet, also good for local net

Professional Video processor

Great solution for chain stores

Full of modules for you to monitor all of terminal's status, content updating, task management, template production, customer management, Statistics, User Management

Split-screen, supporting one video area, five graphic area, five marquee (scrolling txt),one logo region, one group areas for week, date, time, one weather forecast area. Split-screen function to free

Easily to design and make wonderful templates

RSS news gives you the real-time information from FEED links, like google, yahoo or other news RSS sources.

No special tech for administrator or operator, anyone can use it.

Supporting extension plugin , if you need special functions like finance rate, our engineers can make program plugin

Easy to update the software remotely



Specifications:

Professional Sigma processor

Embedded linux system, safe and stable, long life time

Web online manage software(B/S), easy to use . You can use it as long as you can use pc to visit website.

Support Video, in MPEG-1、 MPEG-2、 WMV9、 AVI(3.11)、 XVID、 H264 , with D1、 720P、 1080I、 1080P

Support audio in MPEG-1 Layers I、 II、 III2.0,MPEG-4 AAC-LC 5.1,MPEG-4 HE-AAC 5.1,MPEG-4 BSAC 2.0,WAV,24-bit linear PCM 7.1

Support image in BMP、 JPEG、 PNG、 GIF

Scrolling words or marquee

Support RSS news, it is easy for you to get the rss feed link to put the news in the display.

Powerful Split-screen function, support one video area, five graphic area, five marquee (scrolling txt),one logo region, one group areas for week, date, time, one weather forecast area. Split-screen function to free

High quality Hardware ,work in 24*7, no service.

Support CF card or IDE Hard Disk

Remote content update and manage, support multiple play ways: loop, spots, play time

Remote Switch, regular open or shutdown

Schedule task function

Templates functions, you can use photo shop or any design software to make one beautiful background picture

Easy to use remote controller to do terminal settings.

Support wifi in wep encode

Watchdog reset support

Interfaces

One 10M/100M adaptive Ethernet, RJ-45 interface

Two 2.0 USB ports

Built-in Wifi

An IDE interface, can be transferred through the IDE then SATA hard disk SATA Adapter